



PI TAPE®

Quick, Accurate **PRECISION** Measurements

Proudly made in the USA since 1944

MEASUREMENT AND TEST EQUIPMENT

LAST REPORT UPDATE 08/04/2026

In conformance with:
ISO/IEC 17025:2017



MEASUREMENT AND TEST EQUIPMENT (M&TE) STANDARDS

CALIBRATION OF M&TE'S IS TRACEABLE TO THE NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY.
(NOTE: GAGE SIZES ARE USED AS REFERENCE SIZES AND ARE NOT A DIRECT CONVERSION FROM INCH TO METRIC OR FROM O.D TO O.C.)

THE FOLLOWING STANDARDS ARE CALIBRATED EVERY 1 YEAR TO GUARANTEE ACCURACY:

	Vendor	Equipment	Serial #	Test Date	Due Date	NIST Traceable Report Number	M&TE Type
	American Gage	.375" O.D. Plug Gage	42796	Dec-01-25	Dec-01-26	1239597	Calibration Equipment
	American Gage	.500" O.D. Plug Gage	42596	Dec-01-25	Dec-01-26	1239602	Calibration Equipment
	American Gage	.625" O.D Plug Gage	42696	Dec-01-25	Dec-01-26	1239592	Calibration Equipment
T	Aldinger	0-10 Pound Tension Scale	132214	Mar-16-26	Mar-16-27	A2000814	Quality Control
T	Aldinger	0-30 Pound Tension Scale	52490	Nov-19-25	Nov-19-26	A1857212	Quality Control
	American Gage	1" (25mm) O.D. / 3" (78mm) O.C. Plug Gage	1000	Dec-01-25	Dec-01-26	1239589	Calibration Equipment
	Pi Tape Texas	1" (25mm) O.D. Plug Gage	101	Jul-16-26	Jul-16-27	101072126	Calibration Equipment
	American Gage	1# Weight	6679-1	Aug-02-25	Sep-02-26	1203321	Calibration Equipment
	Pi Tape Texas	19.0000" (480.00mm) O.D. / 59.6902" (1507.96mm) O.C. Ring Gage	1619	Jul-16-26	Jul-16-27	1619072126	Calibration Equipment
	American Gage	2# Weight	257E	Aug-02-25	Sep-02-26	1203321	Calibration Equipment
	Pi Tape Texas	20" (500mm) O.D. / 62" (1570mm) O.C. Ring Gage	042199	Dec-03-25	Dec-03-26	04219912032025	Calibration Equipment
	Pi Tape Texas	20" Diameter Master Tape	2L120125100	Dec-03-25	Dec-03-26	2L12012510012032025	Calibration Equipment
	Glastonbury Southern Gage	4.5" (114mm) O.D. / 14" (358mm) O.C. Ring Gage	405	Oct-29-25	Oct-29-26	154669-1-1	Calibration Equipment
	American Gage	5.0000" (127.00mm) O.D. / 15.7079" (398.98mm) O.C. Ring Gage	555	Dec-01-25	Dec-01-26	1239613	Calibration Equipment
	American Gage	5# Weight	6676-1	Aug-02-25	Sep-02-26	1203321	Calibration Equipment
	Mitutoyo	Optical Comparator	71606225	Jul-16-26	Jul-16-27	2003099992R0	Calibration Equipment
	ThermoWorks	Temperature & Humidity Data Logger	32BC0E5B	Sep-12-25	Sep-12-26	C062948R00	Quality Control
	ThermoWorks	Temperature & Humidity Data Logger	328401BC	Sep-12-25	Sep-12-26	C062947R00	Quality Control
	ThermoWorks	Temperature & Humidity Data Logger	328401C3	Mar-11-26	Mar-11-27	C066751R00	Quality Control
	ThermoWorks	Temperature & Humidity Data Logger	328401C8	Mar-11-26	Mar-11-27	C066755R00	Quality Control

T signifies Tamper Resistant Seal - All seals verified and recorded each workday

MEASUREMENT AND TEST EQUIPMENT (M&TE) STANDARDS

CALIBRATION OF M&TE'S IS TRACEABLE TO THE NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY.
(NOTE: GAGE SIZES ARE USED AS REFERENCE SIZES AND ARE NOT A DIRECT CONVERSION FROM INCH TO METRIC OR FROM O.D TO O.C.)

THE FOLLOWING STANDARDS ARE CALIBRATED EVERY 1 YEAR TO GUARANTEE ACCURACY:

Vendor	Equipment	Serial #	Test Date	Due Date	NIST Traceable Report Number	M&TE Type
ThermoWorks	Temperature & Humidity Data Logger	328401C9	Mar-11-26	Mar-11-27	C066750R00	Quality Control
ThermoWorks	Temperature & Humidity Data Logger	328401CB	Mar-11-26	Mar-11-27	C066752R00	Quality Control
ThermoWorks	Temperature & Humidity Data Logger	328401CC	Mar-11-26	Mar-11-27	C066754R00	Quality Control
ThermoWorks	Temperature & Humidity Data Logger	32BC0CDB	Sep-12-25	Sep-12-26	C062949R00	Quality Control
ThermoWorks	Temperature & Humidity Data Logger	32BC0CE2	Sep-12-25	Sep-12-26	C062946R00	Quality Control
ThermoWorks	Temperature & Humidity Data Logger	32BC0CE0	Sep-12-25	Sep-12-26	C062945R00	Quality Control
ThermoWorks	Temperature & Humidity Data Logger	32BC0CFF	Sep-12-25	Sep-12-26	C062950R00	Quality Control
ThermoWorks	Temperature & Humidity Data Logger	32BC0E5D	Mar-11-26	Mar-11-27	C066753R00	Quality Control
Renishaw	XC Air Temperature Sensor	23R936	Jun-01-26	Jun-01-27	23R936-260601-00	Calibration Equipment
Renishaw	XC Air Temperature Sensor	22W497	Jul-17-26	Jul-17-27	22W497-260717-00	Calibration Equipment
Renishaw	XC Material Temperature Sensor	23R985	Jun-01-26	Jun-01-27	23R985-260601-00	Calibration Equipment
Renishaw	XC Material Temperature Sensor	22W548	Jul-17-26	Jul-17-27	22W548-260717-00	Calibration Equipment
Renishaw	XC-80 Compensator	4NH015	Jun-01-26	Jun-01-27	4NH015-260601-00	Calibration Equipment
Renishaw	XC-80 Compensator	1LLR69	Jul-17-26	Jul-17-27	1LLR69-260717-00	Calibration Equipment

T signifies Tamper Resistant Seal – All seals verified and recorded each workday

MEASUREMENT AND TEST EQUIPMENT (M&TE) STANDARDS

CALIBRATION OF M&TE'S IS TRACEABLE TO THE NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY.
(NOTE: GAGE SIZES ARE USED AS REFERENCE SIZES AND ARE NOT A DIRECT CONVERSION FROM INCH TO METRIC OR FROM O.D TO O.C.)

THE FOLLOWING STANDARDS ARE CALIBRATED EVERY 2 YEARS TO GUARANTEE ACCURACY:

Vendor	Equipment	Serial #	Test Date	Due Date	NIST Traceable Report Number	M&TE Type
Pi Tape Texas	1" Diameter Master Tape	2L062226MT	Jun-29-26	Jun-29-28	2L062226062926	Calibration Equipment
American Gage	12" (300mm) I.D. Ring Gage	1944	Feb-21-25	Feb-21-27	1155897	Calibration Equipment
American Gage	13" (315mm) O.D. / 40" (989mm) O.C. Ring Gage	042299	Dec-01-25	Dec-01-27	1239608	Calibration Equipment
American Gage	16" (400mm) I.D. Ring Gage	6000	Jul-28-25	Jul-28-27	1201711	Calibration Equipment
Pi Tape Texas	16" Diameter Master Tape	2L040226067	May-20-26	May-20-28	2L040226067060426	Calibration Equipment
Pi Tape Texas	19" Diameter Master Tape	06262519MT	Jun-02-26	Jun-02-28	06262519060426	Calibration Equipment
Pi Tape Texas	24" (600mm) O.D. / 75" (1884mm) O.C. Ring Gage	201	May-28-26	May-28-28	201052926A	Calibration Equipment
Pi Tape Texas	24" Diameter Master Tape	05312224 (MT)	May-27-26	May-27-28	05312224052926A	Calibration Equipment
Pi Tape Texas	27.0000" (700.00mm) O.D./ 84.8230" (2199.11mm) O.C. Ring Gage	1128	May-26-26	May-26-28	1128052926A	Calibration Equipment
Pi Tape Texas	27" Diameter Master Tape	05312227 (MT)	May-21-26	May-21-28	05312227052926A	Calibration Equipment
American Gage	3" (76mm) O.D. / 9" (238mm) O.C. Ring Gage	3000	Sep-26-24	Sep-26-26	1116621	Calibration Equipment
Pi Tape Texas	36" (900mm) O.D./ 113" (2827mm) O.C. Ring Gage	36585	May-27-26	May-27-28	36585052926A	Calibration Equipment
Pi Tape Texas	36" Diameter Master Tape	05312236 (MT)	May-26-26	May-26-28	05312236052926A	Calibration Equipment
Pi Tape Texas	44.0000" (1100.00mm) O.D. / 138.2300" (3455.75mm) O.C. Ring Gage	1144	May-29-25	May-29-27	1144052925A	Calibration Equipment
Pi Tape Texas	44" Diameter Master Tape	05312244 (MT)	May-29-25	May-29-27	05312244052925	Calibration Equipment
Aldinger	5" (127mm) I.D. Ring Gage	5000	Jan-07-25	Jan-07-27	A1561956	Calibration Equipment
American Gage	9" (228mm) O.D. / 28" (716mm) O.C. Ring Gage	900	Aug-28-24	Aug-28-26	1108897	Calibration Equipment
Mitutoyo	Glass Scale	109707	Sep-11-25	Sep-11-27	10179240	Calibration Equipment
T Pi Tape Texas	Linear Machine	092395	Sep-04-25	Sep-04-27	09239509042025	Calibration Equipment
T Pi Tape Texas	Linear Machine	060918	Jun-16-25	Jun-16-27	060918061625B	Calibration Equipment

T signifies Tamper Resistant Seal - All seals verified and recorded each workday

MEASUREMENT AND TEST EQUIPMENT (M&TE) STANDARDS

CALIBRATION OF M&TE'S IS TRACEABLE TO THE NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY.
(NOTE: GAGE SIZES ARE USED AS REFERENCE SIZES AND ARE NOT A DIRECT CONVERSION FROM INCH TO METRIC OR FROM O.D TO O.C.)

THE FOLLOWING STANDARDS ARE CALIBRATED EVERY 2 YEARS TO GUARANTEE ACCURACY:

	Vendor	Equipment	Serial #	Test Date	Due Date	NIST Traceable Report Number	M&TE Type
T	Pi Tape Texas	Linear Machine	121554	Jun-16-25	Jun-16-27	121554061625B	Calibration Equipment
T	Pi Tape Texas	Linear Machine	121352	Aug-01-25	Aug-01-27	121352080125B	Calibration Equipment
T	Pi Tape Texas	Linear Machine	062970	Aug-01-25	Aug-01-27	06297080125B	Calibration Equipment
	Pi Tape Texas	Marked for diameter measurement (Inch) Master Tape	2L05072545MT	Jun-16-25	Jun-16-27	2L05072545061625A	Calibration Equipment
	Pi Tape Texas	Marked for diameter measurement (Metric) Master Tape	2L061125001MT	Jun-16-25	Jun-16-27	2L061125001061625A	Calibration Equipment
	Pi Tape Texas	Marked for linear measurement Master Tape	2L07022501	Sep-04-25	Sep-04-27	2L0702250109042025	Calibration Equipment

T signifies Tamper Resistant Seal – All seals verified and recorded each workday

MEASUREMENT AND TEST EQUIPMENT (M&TE) STANDARDS

CALIBRATION OF M&TE'S IS TRACEABLE TO THE NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY.
(NOTE: GAGE SIZES ARE USED AS REFERENCE SIZES AND ARE NOT A DIRECT CONVERSION FROM INCH TO METRIC OR FROM O.D TO O.C.)

THE FOLLOWING STANDARDS ARE CALIBRATED EVERY 3 YEARS TO GUARANTEE ACCURACY:

Vendor	Equipment	Serial #	Test Date	Due Date	NIST Traceable Report Number	M&TE Type
Renishaw	XL-80 Laser	3U4W27	Jun-17-25	Jun-17-28	3U4W27-250617-00	Calibration Equipment
Renishaw	XL-80 Laser	16QH11	Jul-30-25	Jul-30-28	16QH11-250730-00	Calibration Equipment

MEASUREMENT AND TEST EQUIPMENT (M&TE) STANDARDS

CALIBRATION OF M&TE'S IS TRACEABLE TO THE NATIONAL INSTITUTE OF STANDARDS AND TECHNOLOGY.
(NOTE: GAGE SIZES ARE USED AS REFERENCE SIZES AND ARE NOT A DIRECT CONVERSION FROM INCH TO METRIC OR FROM O.D TO O.C.)

THE FOLLOWING STANDARDS ARE CALIBRATED EVERY 4 YEARS TO GUARANTEE ACCURACY:

Vendor	Equipment	Serial #	Test Date	Due Date	NIST Traceable Report Number	M&TE Type
American Gage	1-2" Micrometer	216	Mar-19-26	Mar-19-30	1271359	Quality Control
Starrett/Webber	6" Gage Block	100-2	Aug-16-24	Aug-16-28	24-68050-A	Calibration Equipment
Starrett/Webber	6" Gage Block	100-3	Aug-16-24	Aug-16-28	24-68050-B	Calibration Equipment
Starrett/Webber	6" Gage Block	100-4	Aug-16-24	Aug-16-28	24-68050-C	Calibration Equipment
Starrett/Webber	6" Gage Block	100-5	Aug-16-24	Aug-16-28	24-68050-D	Calibration Equipment
Starrett/Webber	6" Gage Block	100-6	Aug-16-24	Aug-16-28	24-68050-E	Calibration Equipment
Starrett/Webber	6" Gage Block	100-7	Aug-16-24	Aug-16-28	24-68050-F	Calibration Equipment
Starrett/Webber	Fractional Gage Block Set	4.3064SA1	Jul-23-24	Aug-16-28	24-68050-G	Calibration Equipment